EAST Search History

Ref _ #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	singman\$ with michael.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L2	1	singman\$aste.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L3	1	(12)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L4	0	modal with value with non\$numeric with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:55
L5	7	(determin\$4 calculat\$4 find\$4 identif\$4) with (mode modal) with value and data with set with subset with (alpha character alphabet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:56
L6	21	(determin\$4 calculat\$4 find\$4 identif\$4) with (mode (modal with value)) and data with set with subset with (alpha character alphabet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:56
·L7	14	L6 not L5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:56
L8	14	L6 not L5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25
L9	14	(mode modal) with value and data , with set with subset with (alpha character alphabet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR ·	ON	2007/03/12 15:00
L10	12	L9 not L8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OŖ	ON	2007/03/12 15:00
L11	9	(mode modal) near2 value and data with set with subset with (alpha character alphabet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25

EAST Search History

L12	3	L11 not L6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L13	3	L11 not L6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L14	0	L11 not L13 and (mode modal) near2 value.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:24
L15	8	(calculat\$4 determin\$4 comput\$4 generat\$4 identif\$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data\$base and (quer\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L16	4	(calculat\$4 determin\$4 comput\$4 generat\$4 identif\$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data\$base with (quer\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L17	2	L15 not L16 and process\$4 with (mode modal) and (multipl\$4 plural\$4 group) with (mode modal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:01
L18	12	lower\$case with string and upper\$case with string and (mode modal) with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L19	. 12	(lower\$case and upper\$case) with string and (mode modal) with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L20	0	L19 not L18	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L21	8	(calculat\$4 determin\$4 comput\$4 generat\$4 identif\$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data\$base and (quer\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02

EAST Search History

				ı — — — — — — — — — — — — — — — — — — —	r	
L22	4	(calculat\$4 determin\$4 comput\$4 generat\$4 identif\$4) with (mode modal) adj value and data with set with subset and (float integer currency date decimal string) and data\$base with (quer\$4 search\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L23	2	L21 not L22 and process\$4 with (mode modal) and (multipl\$4 plural\$4 group) with (mode modal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:02
L24	21	(determin\$4 calculat\$4 find\$4 identif\$4) with (mode (modal with value)) and data with set with subset with (alpha character alphabet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:16
L25	7	(determin\$4 calculat\$4 find\$4 identif\$4) with (mode modal) with value and data with set with subset with (alpha character alphabet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:16
L26	14	L24 not L25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:16
L27	3	lower\$case with string and upper\$case with string same (mode modal) with value	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2007/03/12 15:21
L28	0	L11 not L13 and (mode modal) near2 value.clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:24
L29	14	L6 not L5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25
L30	9	(mode modal) near2 value and data with set with subset with (alpha character alphabet\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 15:25